ISSN 8756-758X

FATIGUE & FRACTURE of ENGINEERING MATERIALS & STRUCTURES

The International Journal
& the official journal of the European Structural Integrity Society

Editor-in-Chief: K. J. Miller

Volume Contents and Author Index for Volume 14, 1991

Pergamon Press
Oxford · New York · Seoul · Tokyo

FATIGUE & FRACTURE OF ENGINEERING MATERIALS & STRUCTURES

The International Journal

EDITOR

K. J. MILLER, Department of Mechanical and Process Engineering, University of Sheffield, Mappin Street, Sheffield S1 3JD, England

BOARD OF DIRECTORS OF FATIGUE OF ENGINEERING MATERIALS LTD

B. A. Bilby
M. W. Brown *(Secretary)*
D. S. Dugdale
G. W. Greenwood
C. Laird
K. J. Miller *(Chairman)*
A. Pineau
B. Tomkins

EDITORIAL BOARD

A. Bakker, Delft University, The Netherlands
B. A. Bilby, University of Sheffield, England
A. F. Blom, The Aeronautical Research Institute, Sweden
M. W. Brown, University of Sheffield, England
C. M. Cheng, Chinese Academy of Sciences, Beijing, China
N. E. Dowling, Virginia Polytechnic Institute, Va, U.S.A.
D. S. Dugdale, University of Sheffield, England
M. Elices, Universidad Politecnica de Madrid, Spain
E. G. Ellison, University of Bristol, England
J. M. Finney, Aeronautical Research Laboratories, Melbourne, Australia
D. Firrao, Politechnico di Torino, Italy
N. A. Fleck, University of Cambridge, England
D. Francois, Ecole Centrale des Arts et Manufactures, France
G. W. Greenwood, University of Sheffield, England
M. Jono, Osaka University, Japan
J. F. Knott, University of Cambridge, England
C. Laird, University of Pennsylvania, Philadelphia, Pa, U.S.A.
L. H. Larsson, Commission of the European Communities, Brussels, Belgium
Hao Lee, Huazhong University of Science and Technology, Wuhan, China
T. C. Lindley, Central Electricity Generating Board, Leatherhead, England
S. Maddox, The Welding Institute, Cambridge, England
I. Milne, Central Electricity Generating Board, Leatherhead, England
D. Munz, Institut für Material und Festkorperforschung IV, Karlsruhe, Fed. Rep. Germany
H. Nowack, University of GH Duisburg, Fed. Rep. Germany
V. V. Panasyuk, Institute for Physics and Mechanics, Lvov, U.S.S.R.
R. N. Parkins, Newcastle University, Newcastle-upon-Tyne, England
R. M. Pelloux, Massachusetts Institute of Technology, Cambridge, Mass., U.S.A.
A. Pineau, Ecole Nationale Supérieure des Mines de Paris, Evry, Cedex, France
W. J. Plumbridge, University of Wollongong, Australia
P. Rama Rao, DMRL, Hyderabad, India
R. O. Ritchie, University of California, Berkeley, Calif., U.S.A.
J. Schijve, Delft University of Technology, The Netherlands
K. H. Schwalbe, GKSS-Forschungszentrum, Fed. Rep. Germany
R. A. Smith, University of Sheffield, England
D. Socie, University of Illinois, Ill., U.S.A.
S. Suresh, Brown University, Providence, R.I., U.S.A.
K. Tanaka, Kyoto University, Japan
B. Tomkins, United Kingdom Atomic Energy Authority, Preston, England
V. T. Troshchenko, Institute for Problems of Strength, Kiev, U.S.S.R.
J. Wareing, United Kingdom Atomic Energy Authority, Preston, England
K. Yamada, Keio University, Yokohama, Japan
W. Yang, Tsinghua University, Beijing, China

Publication Frequency: 10 issues/annum

Publishing Office: Pergamon Press plc, Pergamon House, Bampfylde Street, Exeter EX1 2AH, England [*Tel.* Exeter (0392) 51558; *Fax* (0392) 425370].

Subscription and Advertising Offices: *North America:* Pergamon Press Inc., 395 Saw Mill River Road, Elmsford, NY 10523, U.S.A., *Rest of the World:* Pergamon Press plc, Headington Hill Hall, Oxford OX3 0BW, England [*Tel.* Oxford (0865) 794141].

Subscription Rates: Annual institutional rate (1991) DM 1000.00; 2-year institutional rate (1991/92) DM 1900.00; a personal subscription rate for those whose library subscribes at the regular rate is available on request. Subscription rates for Japan include despatch by air and prices are available on application. Prices are subject to amendment without notice.

Back Issues: Back issues of all previously published volumes, in both hard copy and on microform are available direct from Pergamon Press offices.

Copyright © 1991 Fatigue of Engineering Materials Ltd

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to Fatigue of Engineering Materials Ltd if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organizations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise, without permission in writing from the copyright holder.

Whilst every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinion or statement appears in this journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the sole responsibility of the contributor or advertiser concerned. Accordingly, the publishers, the editorial board and editors and their respective employees, officers and agents accept no responsibility or liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

Photocopying information for users in the U.S.A.: The Item-fee-Code for this publication indicates that authorization to photocopy items for internal or personal use is granted by the copyright holder for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service provided the stated fee for copying, beyond that permitted by Section 107 or 108 of the US Copyright Law, is paid. The appropriate remittance of $3.00 per copy per article is paid directly to the Copyright Clearance Center Inc., 27 Congress Street, Salem, MA 01970, U.S.A.

Permission for other use: The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works or for resale. Specific written permission must be obtained from the publisher for such copying.

The Item-fee Code for this publication is: 8756-758X/91 $3.00 + 0.00

CONTENTS

Number 1

Editorial Comment	i	
Ryoichi Koterazawa and Takayoshi Nosho	1	Creep-fatigue crack growth and fractography of a Type 304 stainless steel at elevated temperature
Y. Dai, M. Rödig and J. Altes	11	Calculation of the stress intensity factor for a partial circumferentially cracked tube loaded in bending by using the shell line-spring model
M. Bílý	25	Experimental verification of random load fatigue endurance
W. O. Soboyejo and J. F. Knott	37	The propagation of non-coplanar semi-elliptical fatigue cracks
D. W. A. Rees	51	The fatigue life of thick-walled auto-frettaged cylinders with closed ends
M. Takeuchi, R. B. Waterhouse, Y. Mutoh and T. Satoh	69	The behaviour of fatigue crack growth in the fretting-corrosion-fatigue of high tensile roping steel in air and seawater
S. Mall, T. Nicholas, J. J. Pernot and D. G. Burgess	79	Crack growth in a titanium aluminide alloy under thermal mechanical cycling
M. T. Yu, D. L. DuQuesnay and T. H. Topper	89	Notched fatigue behaviour of two cold rolled steels
C. P. Blankenship Jr and E. A. Starke Jr	103	The fatigue crack growth behavior of the Al–Cu–Li alloy Weldalite 049
M. François and L. Rémy	115	Thermal-mechanical fatigue of MAR-M 509 superalloy. Comparison with low-cycle fatigue behaviour
R. L. Jones and P. C. Davies	131	The effect of strain rate on the tensile and fracture properties of BS 4360 'A' grade ship steel
	I	Information on Conferences/Seminars
	IV	Software Survey Section

Number 2/3

SHORT FATIGUE CRACKS

Editorial Comment v

Sun Ig Hong and Campbell Laird 143 Fatigue crack initiation and growth behavior of Cu–16 at.% Al single crystals

A. Plumtree and B. P. D. O'Connor 171 Influence of microstructure on short fatigue crack growth

D. J. Nicholls and J. W. Martin 185 A comparison of small fatigue crack growth, low cycle fatigue and long fatigue crack growth in Al–Li alloys

A. Vašek and J. Polák 193 Low cycle fatigue damage accumulation in Armco-iron

M. Vormwald and T. Seeger 205 The consequences of short crack closure on fatigue crack growth under variable amplitude loading

M. N. James, R. B. Tait and D. G. Mech 227 Compression fatigue in β''-alumina

Hong Youshi, K. J. Miller and M. W. Brown 237 Complex stress functions and plastic zone sizes for notch cracks subjected to various loading conditions

G. M. Seed and K. J. Miller 259 Short cracks at biaxially stressed notches: a fine-mesh elastic-plastic finite element analysis

Zuyu Sun, E. R. de los Rios and K. J. Miller 277 Modelling small fatigue cracks interacting with grain boundaries

C. H. Wang and K. J. Miller 293 The effect of mean shear stress on torsional fatigue behaviour

I. W. Hussey, J. Roche and L. Grabowski 309 A fully automated system for monitoring short crack growth

Yoshiaki Akiniwa, Shoji Harada and Yoshihiro Fukushima 317 Dynamic measurement of crack closure behaviour of small fatigue cracks by an interferometric strain/displacement gauge with a laser diode

D. Taylor and O. M. Clancy — 329 The fatigue performance of machined surfaces

Y. Verreman and B. Nie — 337 Short crack growth and coalescence along the toe of a manual fillet weld

S. Z. Wang, K. J. Miller, M. W. Brown and E. R. de los Rios — 351 A statistical analysis of short fatigue crack growth

X. J. Wu — 369 *Technical Note*: Behaviour of short fatigue cracks in a medium carbon steel subjected to bending

Number 4

W. J. Plumbridge and E. G. Ellison — 373 Stress response behaviour of a cast nickel base superalloy subject to combined creep-fatigue

S. J. Wang, D. Baptiste, Ph. Bompard and D. François — 391 Microscopic failure mechanisms of an unidirectional glass fiber composite

Karl-Heinz Schwalbe and Alfred Cornec — 405 The Engineering Treatment Model (ETM) and its practical application

S. K. Koh and R. I. Stephens — 413 Mean stress effects on low cycle fatigue for a high strength steel

D. L. McDiarmid — 429 A general criterion for high cycle multiaxial fatigue failure

R. C. McClung — 455 Crack closure and plastic zone sizes in fatigue

P. J. Budden and M. R. Jones — 469 A ductile fracture model in mixed Modes 1 and 2

I Information on Conferences/Seminars

III Software Survey Section

VII New Patents

Number 5

J. Haswell and P. Hopkins — 483 — A review of fracture mechanics models of tubular joints

J. Haswell — 499 — Simple models for predicting stress intensity factors for tubular joints

S. A. Meguid — 515 — Effect of partial-coverage upon the fatigue fracture behaviour of peened components

E. Molinié, R. Piques and A. Pineau — 531 — Behaviour of a 1Cr–1Mo–0.25V steel after long-term exposure—I. Charpy impact toughness and creep properties

E. Molinié, R. Piques and A. Pineau — 547 — Behaviour of a 1Cr–1Mo–0.25V steel after long-term exposure—II. Creep crack initiation and creep crack growth

J. D. G. Sumpter — 565 — Pop-in and crack arrest in an HY80 weld

G. Clark — 579 — Modelling residual stresses and fatigue crack growth at cold-expanded fastener holes

A. J. Hinkle and M. R. Emptage — 591 — Analysis of fatigue life data using the Box–Cox transformation

I — Information on Conferences/Seminars

III — Software Survey Section

Number 6

PRACTICAL APPLICATIONS OF FRACTURE MECHANICS

Editorial Comment — v

D. J. Smith — 601 — Prediction of remaining life of high temperature components using non-linear fracture mechanics

M. D. Gilchrist and R. A. Smith — 617 — Finite element modelling of fatigue crack shapes

T. K. Hellen — 627 The virtual crack extension method for creep fracture

R. Akid and K. J. Miller — 637 Short fatigue crack growth behaviour of a low carbon steel under corrosion fatigue conditions

W. S. Blackburn — 651 Numerical results for volume, surface and contour integrals around crack tips

J. P. Dear — 663 Study of the physical properties of polyethylene polymers that affect crack initiation and propagation

R. D. Whitehead — 679 Crack-following for accurately determining fracture toughness

E. M. Remzi — 697 Recent studies initiated by the NAFEMS Fracture Mechanics Working Group

I Information on Conferences/Seminars

III Software Survey Section

VII New Patents

Number 7

D. Damri and J. F. Knott — 709 Transient retardations in fatigue crack growth following a single peak overload

E. G. Ellison and W. J. Plumbridge — 721 Cyclic damage and fracture in a cast nickel based alloy at high temperature

Ri-ichi Murakami, Yun-Hae Kim and W. G. Ferguson — 741 The effects of microstructure and fracture surface roughness on near threshold fatigue crack propagation characteristics of a two-phase cast stainless steel

H. Ghonem and D. Zheng — 749 Oxidation-assisted fatigue crack growth behavior in alloy 718—Part I. Quantitative modeling

D. Zheng and H. Ghonem — 761 Oxidation-assisted fatigue crack growth behavior in alloy 718—Part II. Applications

Ri-ichi Murakami and Shinji Noguchi	769	Fatigue crack propagation characteristics of glass fibre reinforced polycarbonate in hot distilled water
R. L. Jones, J. R. Gordon and N. V. Challenger	777	A study of specimen size on J–R curve behaviour
Gao Husheng, Gu Haicheng and Zhou Huijiu	789	The effect of hardness on the fretting fatigue of alloy steels
	I	Information on Conferences/Seminars
	III	Software Survey Section

Number 8

I. Milne	797	ESIS guidelines for the selection and use of methods for assessment of the integrity of structures and components containing defects
H. Ghonem and M. Zeng	805	Prediction of fatigue crack growth under single overload application in Ti–6Al–4V
Naoyuki Suzuki, Harumasa Takeda, Akihiko Ohta and Hisasi Ohuchida	815	Evaluation of fatigue crack propagation properties under random loading avoiding crack closure
G. R. Sutton, C. Wheeler, C. E. Thomas and R. N. Wilson	823	The determination of R-curves for short, wide centre cracked panels of aluminium alloy sheet
M. Goto	833	Statistical investigation of the behaviour of microcracks in carbon steels
B. N. Cox and D. B. Marshall	847	Crack bridging in the fatigue of fibrous composites
S. Horibe and R. Hirahara	863	Fatigue crack propagation of sintered silicon nitride in vacuum and air
	I	Information on Conferences/Seminars
	III	Software Survey Section
	VII	New Patents

Number 9

R. Piques, E. Molinie and A. Pineau	871	Comparison between two assessment methods for defects in the creep range
P. Manzione and J. E. Perez Ipiña	887	Sensitivity analysis of the Double Clip Gauge Method
Yukitaka Murakami, Nobuhiko Shiraishi and Katsuaki Furukawa	897	Estimation of service loading from the width and height of fatigue striations of 2017-T4 Al alloy
Shuilong Yang and Hua Li	907	Interaction of overloads on fatigue crack growth for 40CrNi steel
Pei-Chung Wang and K. W. Ewing	915	Fracture mechanics analysis of fatigue resistance of spot welded coach-peel joints
N.-Y. Tang and A. Plumtree	931	Elevated temperature fatigue crack propagation in hot work tool steel
	I	Information on Conferences/Seminars
	III	Software Survey Section
	VII	New Patents

Number 10

D. L. Davidson and L. K. Austin	939	Fatigue crack growth through ARALL-4 at ambient temperature
D. Kujawski	953	Estimations of stress intensity factors for small cracks at notches
V. K. Arya, M. E. Melis and G. R. Halford	967	Finite element elastic–plastic-creep and cyclic life analysis of a cowl lip
D. J. Smith and R. L. Jones	979	Rate-dependent deformation and fracture of α-titanium
Jan Zuidema, Wu Yi Shen and Michael Janssen	991	Retardation in fatigue crack growth in Al-2024 after blocks of underloading

M. G. Dawes 1007 Quantifying pop-in severity in fracture toughness tests

I Information on Conferences/Seminars

III Software Survey Section

VII New Patents

Reproduced with the permission of Pergamon Press Inc., by University Microfilms Inc. Duplication or resale without permission is prohibited.